

PART NUMBER - VALVE SELECTION

Series	Size	-	Base Code	Body	Ball/ Stem	Seats	Seals	-	Service Mod	Ball Mod	-	Special Features
14	0100	-	11000	C	H	R	R	-	C	H	-	
1	2	-	3	4	5	6	7	-	8	9	-	10

Example:140100-11000CHRR-CH = 1" 8000 with NPT Ends, Carbon Steel Body, Hastelloy C Ball and Stem, RPTFE Seats, RPTFE Seals, General Cleaned, Vented Ball

1	Series	14	Chlorine Service Model 8000 - 3 Piece Valves	Technical Bulletin - TB1007 Chlorine Service Ball Valves
----------	---------------	----	--	--

2	Size	0025	1/4"	0100	1"	0250	2-1/2"
		0038	3/8"	0150	1-1/2"	0300	3"
		0050	1/2"	0200	2"	0400	4"
		0075	3/4"				

-	-
---	---

3	Base Code (Model)	11000	Model 8000 w/ NPT Ends	11013	Model 8000 w/ NPT x SW Ends
		11001	Model 8000 w/ SW Ends	110??	Special End Connection Combinations

4	Body	C	WCB Carbon Steel (8000)
----------	-------------	---	-------------------------

5	Ball & Stem	H	Hastelloy C Ball and Stem	M	Monel Ball and Stem
----------	------------------------	---	---------------------------	---	---------------------

6	Seats	R	RPTFE	J	TFM 1600
----------	--------------	---	-------	---	----------

7	Seals	R	RPTFE	J	TFM 1600
----------	--------------	---	-------	---	----------

-	-
---	---

8	Service Modification	C	General Cleaned	X	Oxygen Cleaned
----------	-----------------------------	---	-----------------	---	----------------

9	Ball Modification	H	Vented Ball
----------	--------------------------	---	-------------

-	-
---	---

10	Special Features (Optional)	0001	Cavity Fillers	0031	Polished 10-15 Ra	0055	Special Trust Washer Material
		0009	Polished to 30-35 Ra	0210	Polished 8-12 Ra	????	Consult Factory
		0032	Polished to 20-25 Ra				

NOTES:

8000 Series Valves come standard with Lockable Lever
 Consult Factory for Other End Connection Options
 General Cleaning per Flow-Tek WI-125 (solvent method) & Bagged meets ASME BPE-2002A
 Designed to comply with recommendations from the Chlorine Institute Pamphlet 6, Piping Systems for Dry Chlorine