

PART NUMBER - VALVE SELECTION

Series	Size	-	Base Code	Body	Ball/ Stem	Seats	Seals	-	Service Mod	Ball Mod	-	Special Features
14	0100	-	11000	C	H	R	R	-	C	H		
1	2	-	3	4	5	6	7	-	8	9	-	10
Example:140100-11000CHRR-CH = 1" 8000 with NPT Ends, Carbon Steel Body, Hastelloy C Ball and Stem, RPTFE Seats, RPTFE Seals, General Cleaned, Vented Ball												
1	Series	14	Chlorine Service Model 8000 - 3 Piece Valves Technical Bulletin - TB1007 Chlorine Service Ball Valves									
2	Size	0025	1/4"			0100	1"			0250	2-1/2"	
		0038	3/8"			0150	1-1/2"			0300	3"	
		0050	1/2"			0200	2"			0400	4"	
		0075	3/4"									
-	-											
3	Base Code (Model)	11000	Model 8000 w/ NPT Ends					11013	Model 8000 w/ NPT x SW Ends			
		11001	Model 8000 w/ SW Ends					110??	Special End Connection Combinations			
4	Body	C	WCB Carbon Steel (8000)									
5	Ball & Stem	H	Hastelloy C Ball and Stem					M	Monel Ball and Stem			
6	Seats	R	RPTFE					J	TFM 1600			
7	Seals	R	RPTFE					J	TFM 1600			
-	-											
8	Service Modification	C	General Cleaned					X	Oxygen Cleaned			
9	Ball Modification	H	Vented Ball									
-	-											
10	Special Features (Optional)	0001	Cavity Fillers			0031	Polished 10-15 Ra			0055	Special Trust Washer Material	
		0009	Polished to 30-35 Ra			0210	Polished 8-12 Ra			????	Consult Factory	
		0032	Polished to 20-25 Ra									

NOTES:

8000 Series Valves come standard with Lockable Lever

Consult Factory for Other End Connection Options

General Cleaning per Bray WI-125 (solvent method) & Bagged meets ASME BPE-2002A

Designed to comply with recommendations from the Chlorine Institute Pamphlet 6, Piping Systems for Dry Chlorine